

Nepal Hazard Risk Assessment

Trimester Report
Period February –June 2010



This trimester report is submitted by ADPC to the World Bank & MOHA to highlight the issues and progress in the execution of Nepal Hazard Risk Assessment (NHRA) project as a part of the project deliverables.

Methodology for Hazard and Risk Assessment

The overall methodology for the project has been presented in the flowchart shown in figure 1.




Figure 1: Flowchart showing methodology of the project

ACTIVITIES CARRIED OUT AND COMPLETED

1. Hazard Assessment

The Hazard and susceptibility modeling and mapping for five major hazards including earthquake, Floods, Landslides, Epidemics and drought has been carried. The modeling and mapping has been carried out based on well established technical and scientific methods. The details are as below:

a. Earthquake Hazard Assessment

Earthquake hazard assessment has been carried out based on Modified Mercalli Intensity Scale. The Peak Ground Acceleration map developed by Department of Mines and Geology has formed the basis for earthquake zoning. The attenuation relationship has been developed based on Trifunac (Trifunac and Brady, 1975). Other methods like Wald (Wald et al., 1999) and Probabilistic seismic Hazard Assessment Map (PSHA) have been compared with developed hazard map, validated and finalized. The study proposes three zones of earthquake namely "Very High", "High",

and “Medium” severity. The zoning map has been prepared for various return period i.e, 50 years, 100 years, 250 years and 500 years. The maps are shown in figure 2.




Figure 2: Earthquake hazard maps for various return period (Daft Version)

b. Landslide Hazard Assessment

The developed landslide hazard maps are classified into rainfall and earthquake induced landslide hazard. Landslide hazard, defined as the annual probability of occurrence of a potentially destructive landslide event, was estimated by an appropriate combination of the triggering factors (mainly extreme precipitation and seismicity) and susceptibility factors (slope, lithology, and soil moisture). The weights of different triggering and susceptibility factors were calibrated to the information available in landslide inventories and physical processes. The general approach used in the present study is a modified and improved version of the approach used by Nadim et al. (2006). The landslide hazard maps are categorized into high, medium, low, and negligible severity. The landslide hazards maps are shown in Figure 3(a, b).




Figure 3(a,b): Landslide Hazard Maps: Rainfall and earthquake triggering factors (Daft Version)

c. Flood Hazard Assessment

Floods are regular phenomenon and affects broadly central and southern region of Nepal. There are several perennial rivers, contributing regular floods like Bagmati, Rapti, Kamala, Kankai, Tinau, Karnali, Babai and Narayani etc. These rivers are contributing major losses to life and other economic sectors. The study aims to carry out desktop based flood hazard assessment for selected rivers. The hazard assessment has resulted in defining inundation area and depth using one dimension model namely “HECRAS”. The Flood scenario has been developed for various return periods of 10 years, 25 years, 50 years, 100 years and 500 years. The flood hazard assessment is further cross checked with established and official data and information. A national level

technical team is also been consulted while finalizing the flood hazard assessment maps. A flood hazard map for Rapti River basin has been shown in Figure 4(a, b, c, d & e).




Figure 4: Flood Hazard Assessment for Rapti River Basin (Daft Version)

d. Drought Hazard Assessment

In recent past, drought has been frequent occurring disasters in the country. Due to climate changes, rapid degradation of environment and exploitation of natural resources, the drought situation has been aggravated. The drought hazard assessment has been carried out using well established tools i.e. Standard Precipitation Index (SPI) and Soil Moisture Index (SMI). The drought susceptibility map has been shown in Figure 5.




Figure 5 Moderate drought susceptibility maps for (a) Winter (b) Premonsoon (c) Monsoon and (d) Postmonsoon seasons (Daft Version)

e. Epidemics Hazard Assessment

The health hazards is classified as diseases and outbreaks. The health hazard mapping include Diarrhoea, Kalazaar, Hepatitis, Influenza, Typhoid, Acute Respiratory Infection, Malaria, Sexual Transmitted Infection, Filariasis, Gastroentri Tuberculosis, and Leprosy. For each disease and outbreak, Incidence index have been developed. Further trend analysis has been carried out to understand severity of the problems. The disease susceptibility maps are shown in figure 6.




Figure 6: Map showing disease outbreak susceptibility (Daft Version)

2. Exposure Assessment

In the project, Exposure (UN/ISDR 2009) is defined as "People, property, systems, or other elements present in hazard zones that are thereby subject to potential losses". The important sectors, contributing to the economy has been considered for exposure and vulnerability assessment. The major sectors including housing, education, health, transportation, agriculture, industry, irrigation infrastructure, power, tourism, trade and power has been considered for exposure assessment. The exposure analysis has been carried out for all five types of hazards.

ACTIVITIES IN PROCESS

3. Vulnerability Assessment

a. Earthquake Vulnerability Assessment

Project scopes for earthquake vulnerability assessment of various priority sectors. For study purpose two scenarios are considered i.e. 500 years and 50 years return period. For each hazard scenario, vulnerability assessment has to be carried out considering sectors including Housing, Education, Health, Transportation, Tourism, Power and Irrigation. The methodology includes collection of physical infrastructure data, reclassification of building and infrastructure type suit to vulnerability modelling, hazard exposure analysis, define vulnerability criteria and establish vulnerability assessment matrix.

b. Flood Vulnerability Assessment

The Flood vulnerability assessment has been carried out for specified sectors including agriculture, housing, health, education, industry, transportation, fishing and tourism. The methodology for Vulnerability assessment has been established based on expert opinion of disaster management experts and hydrological modelling experts. Due to lack of research data about flood vulnerability mapping in Nepal, expert opinion has been considered for floods vulnerability modelling. The project team is in the process of finalising the vulnerability assessment methodology.

c. Landslide Vulnerability Assessment

The landslide largely affects transportation sectors. In this regard, roads, bridges and other transportation infrastructure have been considered for vulnerability assessment. The project team is in the process of finalising the vulnerability assessment methodology.

d. Drought Vulnerability Assessment

The drought largely affects the crops and agriculture. In this regard, only agriculture sector has been considered. The project team is in the process of finalising the vulnerability assessment methodology.

e. Epidemic Vulnerability Assessment

The population has been considered for epidemic vulnerability assessment. The methodology for epidemic vulnerability assessment is in process.

FUTURE ACTIVITIES

4. Assessment of Economic Risk

The economic risk assessment will be developed based on IIASA's CATSIM model. The CATSIM model will be applied to estimate the expected losses caused by various hazards. This will result in direct and indirect losses. The outcome will further help in evolving macro and micro economic impacts.

5. Recommendations for Prioritizing the Mitigation Investments

Based on hazard, vulnerability & economic risk assessment and interaction with focal national government agencies, the recommendations will be prepared for prioritizing disaster risk mitigation and associated investments.

MILESTONE UPDATES

The project activities are going on as per the time line. However due to quantum of activities and volume of work, there is slight delay in project components as mentioned in the PERT chart.

Conclusion

- The Project activities are going on as per the plan but due to political crisis in Nepal and Thailand during last two months, there are slight delays in project activities. The delays are reflected in the pert chart (Figure 7)
- The hazard and exposure assessment and mapping has been completed. Vulnerability assessment needs some technical factors and data. The team has found paucity of data for vulnerability assessment. Thus there is slight delay in developing factors and coefficients for the same.
- The hazard assessment is one of the most significant components, which is supposed to be validated by the focal national departments. Due to political unrest and logistic problems, there is a slight delay in validation. This has further delayed following project components.
- However The project team will try its best to complete the project assignment on time in close partnership with national government departments and the World Bank



Asian Disaster Preparedness Center

This report was prepared by Project team
Urban Disaster Risk Management (UDRM)
Asian Disaster Preparedness Center
www.adpc.net

January 2010

Figure 7: Pert Chart Showing the Project Activities with Planned and Actual Duration

